



Flyerketten




Laschenanordnung



ISO Ketten Nr.	ANSI Ketten Nr.	Teilung	Laschenanordnung	Laschenhöhe	Laschenstärke	Bolzendurchmesser	Bolzenlänge	Bruchkraft	Durchschnittliche Bruchkraft	Gewicht pro Meter
		P								
		mm			mm	mm	mm	kN/lbf	kN	kg/m
LH0822	BL422	12.700	2 × 2	12.07	2.03	5.09	11.05	22.2/5045	27.6	0.60
LH0823	BL423		2 × 3				13.16	22.2/5045	27.6	0.75
LH0834	BL434		3 × 4				17.40	33.4/7591	41.4	1.05
LH0844	BL444		4 × 4				19.51	44.5/10114	56.0	1.20
LH0846	BL446		4 × 6				23.75	44.5/10114	56.0	1.46
LH0866	BL466		6 × 6				27.99	66.7/15159	81.7	1.77
LH0888	BL488		8 × 8				36.45	89.0/20227	109.4	2.32
LH1022	BL522		15.875				2 × 2	15.09	2.42	5.96
LH1023	BL523	2 × 3		15.37	33.4/7591	43.1	1.10			
LH1034	BL534	3 × 4		20.32	48.9/11114	65.6	1.50			
LH1044	BL544	4 × 4		22.78	66.7/15159	84.5	1.80			
LH1046	BL546	4 × 6		27.74	66.7/15159	84.5	2.20			
LH1066	BL566	6 × 6		32.69	100.1/22750	125.1	2.65			
LH1088	BL588	8 × 8		42.57	133.4/30318	169.5	3.50			
LH1222	BL622	19.050		2 × 2	18.11	3.25	7.94			
LH1223	BL623		2 × 3	20.73				48.9/11114	68.2	1.80
LH1234	BL634		3 × 4	27.43				75.6/17181	102.8	2.50
LH1244	BL644		4 × 4	30.78				97.9/22250	136.9	2.90
LH1246	BL646		4 × 6	37.49				97.9/22250	136.9	3.60
LH1266	BL666		6 × 6	44.20				146.8/33364	214.2	4.30
LH1288	BL688		8 × 8	57.61				195.7/44477	217.7	5.80
LH1622	BL822		25.400	2 × 2				24.13	4.00	9.54
LH1623	BL823	2 × 3		25.48	84.5/19204	108.2	3.00			
LH1634	BL834	3 × 4		33.76	129.0/29318	170.0	4.20			
LH1644	BL844	4 × 4		37.90	169.0/38409	214.6	4.80			
LH1646	BL846	4 × 6		46.18	169.0/38409	214.6	6.00			
LH1666	BL866	6 × 6		54.46	253.6/57636	324.5	7.20			
LH1688	BL888	8 × 8		71.02	338.1/76841	432.7	9.60			

Flyerketten



ISO Ketten Nr.	ANSI Ketten Nr.	Teilung	Laschenanordnung	Laschenhöhe	Laschendicke	Bolzendurchmesser	Bolzenlänge	Bruchkraft	Durchschnittliche Bruchkraft	Gewicht pro Meter
		P								
		mm			mm	mm	mm	kN/lbf	kN	kg/m
LH2022	BL1022	31.75	2 x 2	30.18	4.80	11.11	25.37	115.6/26272	165.8	3.57
LH2023	BL1023		2 x 3				30.33	115.6/26272	165.8	4.45
LH2034	BL1034		3 x 4				40.23	182.4/41454	248.7	6.19
LH2044	BL1044		4 x 4				45.19	231.3/52568	303.6	7.04
LH2046	BL1046		4 x 6				55.09	231.3/52568	303.6	8.77
LH2066	BL1066		6 x 6				65.00	347.0/78863	433.7	10.50
LH2088	BL1088		8 x 8				84.81	462.6/105136	604.1	14.00
LH2422	BL1222	38.10	2 x 2	36.20	5.60	12.71	29.62	151.2/34363	192.0	4.96
LH2423	BL1223		2 x 3				35.43	151.2/34363	192.0	6.16
LH2434	BL1234		3 x 4				47.07	244.6/55591	315.9	8.55
LH2444	BL1244		4 x 4				52.88	302.5/68750	381.1	9.76
LH2446	BL1246		4 x 6				64.52	302.5/68750	381.1	12.16
LH2466	BL1266		6 x 6				76.15	453.7/103113	543.6	14.61
LH2488	BL1288		8 x 8				99.42	605.0/137500	726.0	19.36
LH2822	BL1422	44.45	2 x 2	42.24	6.40	14.29	33.55	191.3/43477	225.7	6.89
LH2823	BL1423		2 x 3				40.16	191.3/43477	225.7	8.55
LH2834	BL1434		3 x 4				53.37	315.8/71772	448.3	11.61
LH2844	BL1444		4 x 4				59.97	382.6/86954	451.2	13.24
LH2846	BL1446		4 x 6				73.18	382.6/86954	451.2	16.51
LH2866	BL1466		6 x 6				86.39	578.3/131431	682.4	19.79
LH2888	BL1488		8 x 8				112.80	765.1/173886	902.8	26.35
LH3222	BL1622	50.80	2 x 2	48.26	*7.20	17.46	39.01	289.1/65704	341.1	8.78
LH3223	BL1623		2 x 3				46.58	289.1/65704	341.1	10.90
LH3234	BL1634		3 x 4				61.72	440.4/100091	519.6	15.15
LH3244	BL1644		4 x 4				69.29	573.8/131431	680.4	17.27
LH3246	BL1646		4 x 6				84.43	578.3/131431	680.4	21.53
LH3266	BL1666		6 x 6				99.57	857.4/194863	1000.7	25.88
LH3288	BL1688		8 x 8				129.84	1156.5/262841	1364.6	34.29
LH4022	BL2022	63.50	2 x 2	60.33	9.91	23.81	51.74	433.7/98568	511.7	15.95
LH4023	BL2023		2 x 3				61.70	433.7/98568	511.7	19.78
LH4034	BL2034		3 x 4				81.61	649.4/147590	766.2	27.46
LH4044	BL2044		4 x 4				91.57	867.4/197163	1023.5	31.34
LH4046	BL2046		4 x 6				111.48	867.4/197163	1023.5	39.01
LH4066	BL2066		6 x 6				131.39	1301.1/295704	1535.2	46.63
LH4088	BL2088		8 x 8				171.22	1734.8/394272	2046.5	62.00

*: Wir bieten zwei Laschendicken an. Neben der in der Tabelle angegebenen Laschendicke von 7,2 mm bieten wir -je nach ihrer Anforderung- zusätzlich 7,52 mm an.